



山东世纪星文体器材有限公司

Shandong Century Star Sports Equipment Co., Ltd

地址：山东·庆云

Add: Qingyun, Shandong

销售部电话 (Tel): 0534-6106612 6106615 6106616
6106617 6106618 6108999

邮编 (Post Code): 253700

网址 (Web): <http://www.sjxy.cn>

邮箱 (E-mail): sales@sjxy.cn

服务热线 **400-0534-060**



山东世纪星文体器材有限公司

Shandong Century Star Sports Equipment Co., Ltd



15年匠心，专注体育器材的研发制造



燃情十五载 逐梦再出发



北京国体世纪体育用品质量认证
Beijing new century sports goods quality certification



中国教育装备行业协会
China Educational equipment industry association



中国绿色材料认证
China green material certification



中国田径协会认证
Chinese Athletics Association certification



ISO9001 质量管理体系国际认证
Approved by the ISO9001 international standard



ISO14001 环境管理体系国际认证
Certified by ISO14001 Environment Management System



世界田径 (WA) 认证
World Athletics (WA) certification



FIBA国际篮联认证
FIBA International Basketball Federation Certification



ISO 45001 职业健康安全管理体系国际认证
Approved by the ISO 45001 Occupational Health and safety Management System



德国GS安全认证
German GS safety certification



国际网联 (ITF) 认证
International Tennis Federation



国际羽联 (BWF) 认证
Badminton World Federation



中国体育用品联合会会员单位
Member of China Sporting Goods Federation



欧盟CE认证
EU CE certification



七星级CITEAS售后服务体系完善程度认证
Seven Star citeas after sales service system certification



中国质量 (CQC) 认证
China Quality Certification Centre



山东省高新技术企业
Shandong province high and new technology enterprise



中国环境标志产品认证
China environmental labelling

世纪星 新境界 新选择
当完美与科技牵手，品质与服务结合，成功便触手可及。

企业简介 Company Profile

山东世纪星文体器材有限公司是一家专业生产健身器材的厂家；公司成立以来，其产品以物美价廉而受到客户的好评。

山东世纪星文体器材有限公司地处鲁北平原、环渤海经济圈腹地，是北方著名的商贸名城，有中国最大的金山寺、影视城位于庆云。它北依京津、南接济南，德烟铁路、德滨高速、津汕高速公路贯穿境内，信息发达，交通运输十分便利。

现代化的生产设备是生产高品质产品的保证，为提升产品质量，公司在建立健全质量检测，保障体系的同时先后引进了静电粉末涂装生产线、电动自动抛丸机、数控弯管机、自动线切割机机床等先进设备。提高了效率的同时，样样产品均超过了国标的要求，公司的生产和检测能力在国内同行业中达到了领先水平。

我公司率先在行业中先后通过 NSCC 国体认证、世界田径认证、国际网联认证、国际羽联认证、ISO9001-2008 质量管理体系认证、ISO14001 环境管理体系认证、职业健康安全管理体系认证，为解决第三方责任，公司的产品均在中国人民财产保险股份有限公司投保。本公司被国家体育用品质量监督检验中心评为定点检测单位。

雄厚的科技实力优良的产品质量，灵活的营销策略完善的管理体系，世纪星文体器材以这些独特的魅力，成为体育器材及健身器材、教学仪器行业中的一颗耀眼的新星，我公司以新奇特产品战市场，以合作共赢求发展的理念，不遗余力为中国体育事业、教育事业，贡献我们的力量。

Shandong Century Star Sports Equipment Co., Ltd. is a professional manufacturer of fitness equipment; Since the establishment of the company, its products have been praised by customers for their high quality and low price.

Shandong Century Star Sports Equipment Co., Ltd. is located in the hinterland of Lubei plain and Bohai economic circle. It is a famous trade city in the north, with China's largest Jinshan Temple and film and Television City in Qingyun. It is adjacent to Beijing and Tianjin in the north and Jinan in the south. Deyan railway, Debin Expressway and Tianjin Shantou Expressway run through the territory. It has developed information and convenient transportation.

Modern production equipment is the guarantee of producing high-quality products. In order to improve the product quality, the company has established and improved the quality inspection and guarantee system, and introduced advanced equipment such as electrostatic powder coating production line, electric automatic shot blasting machine, numerical control pipe bending machine, automatic wire cutting machine and so on. While improving the efficiency, the sample products have exceeded the requirements of the national standard, and the company's production and testing capabilities have reached the leading level in the same industry in China.

Our company takes the lead in passing NSCC national sports certification, world track and field certification, internetwork Federation certification, International Badminton Federation certification, ISO9001-2008 quality management system certification, ISO14001 environmental management system certification, occupational health and safety management system certification in the industry. In order to solve the third-party responsibility, our products are insured in PICC Property and Casualty Company Limited. The company was the national sports goods quality supervision and inspection center as a designated testing unit.

With strong scientific and technological strength, excellent product quality, flexible marketing strategy and perfect management system, Century Star sports equipment has become a dazzling new star in the sports equipment, fitness equipment and teaching equipment industry with these unique charms. Our company has spared no effort to promote the development of China's sports and education with the concept of new and unique product market and win-win cooperation, Contribute our strength.





科技领先,创一流
Science & technology
Leading the first
Create the first-rate products **产品**

Shandong Century Star Sports
Equipment Co., Ltd

企业荣誉 Enterprise Honor

精诚所至，金石为开。多年的风雨历程铸就了如今辉煌的**世纪星**。我公司扎扎实实地走过了一段用心血和汗水铺就的奋斗之路。我们感谢社会各界对我公司的鼎力相助和倾情关注，感谢兢兢业业工作在公司各个岗位上的每个人！

No difficulty is insurmountable if one sets one's mind on it. **Century Star** got today's success after a few decades' development. Century Star people make great effort and contribution on the way of development. We thank all social sectors for giving great support and attention to Century Star and also thank all staffs who work at each post diligently.



山东世纪星文体器材有限公司
Shandong century star sports equipment Co., Ltd



荣誉

见证历史 实力展望未来

Honor Witness History, Strength Prospect Future!



NSCC国体认证证书






山东世纪星
Shandong Century Star Sports
Equipment Co., Ltd.

生产体系
PRODUCTION LINES

Modern production workshop



*Advanced Production Equipment
and Technology*

创新引领，创越经典
Creative leading, beyond classics

科技研发
R & D



The high quality of our products means reliability, productivity and economy for our users. Our leading technology and advanced manufacturing methods, combined with comprehensive quality control and the high level of responsibility shown by every employee in the production process, ensure that we not only meet these high quality standards, but also steadily improve them.



Production Machine



完善的检测设备 · 确保高质量产品
ADVANCED TESTING
EQUIPMENT GUARANTEE HIGH QUALITY PRODUCTION

以人为本、创新经营，坚持“信誉至上、质量第一、完善服务、终极满意”为质量方针，争创产品合格率百分之百，用户满意百分之百的质量目标。

We take People-oriented, innovative management, adhere to the "reputation first, quality first, perfect service, ultimate satisfaction" as the quality policy and strive for 100% product pass rate and the quality objective of 100% customer satisfaction.



质量方针 QUALITY POLICY

执着创造精美，永远追求满意。

We strive to make high quality products, customers' satisfaction is our goal.



- 我们依赖的，不仅仅是高品质的设备，更重视的是，高素质的人才；
 - 我们骄傲的，不仅仅是自己的实力，更自豪的是，客户的赞誉；
 - 我们追求的，不仅仅是利润的多少，更愿意为，满足您的需求而不懈努力。
-
- What we rely on, is not only high quality equipment, but more attention is paid on, high quality personnel;
 - What we are proud of, is not only our own strength, but more pride is taken in, the appraisal of customers.
 - What we seek for, is not only the quantity of profit, but more concern is put on, striving for the satisfaction of your demand.



REALISTIC AND PRAGMATIC STABLE AND GROWING

求真务实 稳定发展

卓越的品质，良好的信誉，赢得了广大用户的信赖和好评。

为社会奉献一流的产品和服务是世纪星人永远的追求，售后服务部对产品在售前、售中、售后实行一条龙服务，解决了客户的后顾之忧，为客户提供全方面快捷的服务，客户的满意是对世纪星人最好的回报。

We got trust and praise from all customers by outstanding quality and good reputation.

To provide first-rate products and service for society is the pursuit of staffs of Century Star Sports for ever. The after-sale service department provides series service of before-sale, selling and after-sale, which solve the worries behind for customers and provide complete and rapid service for customers. Customers' satisfaction is the best return for staffs of Century Star Sports.

SJBW-2020 PADEL TENNIS COURT PANORAMIC PADEL COURT

Padel tennis is a combination of tennis, squash, table tennis, badminton and other technical features, is a ball game played on a fully enclosed dedicated court, can be composed of porous concrete, cement, wood, artificial turf or any regular rebound surface. The venue is convenient (configurable) and can be assembled and disassembled according to the specific competition and tour.



Boundary dimension: 20530mm*11700mm*6000mm

Site size: 20000mm*10000mm

Main material: steel, rubber, tempered glass

The site is laid with 12mm blue artificial grass and clear white site line



18 pieces of tempered glass are used as defense walls around the court. Tempered glass specification is 2000*3000*12mm, In addition to the Tempered glass, the court is closed with welded mesh (excluding the door), the hole size is 50*50mm, the mesh wire is 4mm; Use 40*40*2.0 square tubes to weld with the mesh. The mesh wire is flush with the square pipe, and the section is not exposed, The top is equipped with 8pcs 200w LED lights for night lighting, The column adopts 100/50*100*3mm steel pipe Use two 50*100*3mm steel pipes or 100*100*3mm steel pipes to ensure installation strength The width of the entrance is 1850mm. The top beam, columns and tennis posts of the entrance are wrapped with soft sponge padding. The surface of columns and mesh are sprayed with zinc powder to anti-rust, the surface is smooth and flat, the color is uniform and firm.

SJBW-2020A Classic Padel Court --Model A



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2*3m or 2*2m Thickness: 12mm	18pcs
2	Steel Mesh	Wire Dia: 3-4.6mm Hole Size: 50*50mm	50pcs
3	Steel Tube & Lamp Pole & Bottom Board	Corner column: 50*100*3mm Light Post: 50*100*3mm Other Column: 50*100*3mm	36pcs
4	Light	LED Lamp 200W	8pcs
5	Artificial Grass	Style: Curved Height: 12mm Dtex: 95000 Density 50400 Color: Blue	2005qm
6	Overall Dimension	20530mm*11700mm*6003mm	
7	Site Size	20000mm*10000mm	

THE DESIGN COMPLIES WITH WPT'S PROFESSIONAL STANDARDS

SJBW-2020F Panoramic Padel Court—Model F



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2*3m Thickness: 12mm	18pcs
2	Steel Mesh	Wire Dia: 3-4.6mm Hole Size: 50*50mm	46pcs
3	Steel Tube & Lamp Pole & Bottom Board	Corner Column: 100*100*3mm Light Post: 50*100*3mm Top Crossbar: 100*100*3mm	36pcs
4	Light	LED Lamp 200W	8pcs
5	Artificial Grass	Style: Curved Height: 12mm Dtex: 95000 Density 50400 Color: Blue	2005qm
6	Overall Dimension	20490mm*11880mm*6420mm	
7	Site Size	20000mm*10000mm	

12MM TEMPERED GLASS AND ARTIFICIAL GRASS ARE
ALL WITH EU CERTIFICATION

SJBW-2020J Super Panoramic Padel Court—Model J



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2*3m Thickness: 12mm	18pcs
2	Steel Mesh	Wire Dia: 3-4.0mm Hole Size: 50*50mm	14pcs
3	Steel Tube & Lamp Pole & Bottom Board	Light Post: 60*60*3mm Top Crossbar: 60*100*3mm Bottom Plate: 3mm	1
4	Light	LED Lamp 200W	8pcs
5	Artificial Grass	Style: Curved Height: 12mm Dtex: 95000 Density: 50400 Color: Blue	2005qm
6	Overall Dimension	20148mm*10142mm*6018mm	
7	Site Size	20000mm*10000mm	

THE STEEL PIPE IS PERFECTLY POLISHED,
AND THEN COATED WITH ZINC POWDER TO ANTI-RUST

SJBW-2020F2 Panoramic Padel Court—Model F2



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2*3m Thickness: 12mm	18pcs
2	Steel Mesh	Wire Dia: 3-4.0mm Hole Size: 50*50mm	46pcs
3	Steel Tube & Lamp Pole & Bottom Board	Corner Column: 100*100*3mm Light Post: 50*100*3mm Top Crossbar: 100*100*3mm	36pcs
4	Light	LED Lamp 200W	8pcs
5	Artificial Grass	Style: Curved Height: 12mm Dtex: 95000 Density: 50400 Color: Blue	2005qm
6	Overall Dimension	20490mm*11880mm*6420mm	
7	Site Size	20000mm*10000mm	

THE FINISH IS PROCESSED BY ELECTROSTATIC SPRAYING METHOD,
USING HIGH-QUALITY ENVIRONMENTAL PROTECTION PAINT

SJBW-2020E Super Panoramic Padel Court—Model E



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2-3m Thickness: 12mm	18pcs
2	Steel Mesh	Wire Dia: 3-4.0mm Hole Size: 50-50mm	46pcs
3	Steel Tube & Lamp Pole & Bottom Board	Light Post: 50-100-3mm Top Crossbar: 50-100-3mm Bottom Beam: 50-100-3mm	36pcs
4	Light	LED Lamp 200W	8pcs
5	Artificial Grass	Style: Curved Height: 12mm Dens: 9500D Density: 50400 Color: Blue	2005qm
6	Overall Dimension	20510mmx10520mmx720mm	
7	Site Size	20000mmx10000mm	


HIGH QUALITY WATERPROOF OUTDOOR SPORTS LIGHT

SJPB-A Padbol Court



Item	Name	Description	Quantity
1	Tempered Glass	Size: 2-2.5m Thickness: 12mm	14pcs
2	Steel Mesh	Wire Dia: 3-4.0mm Hole Size: 50-50mm	18pcs
3	Steel Tube & Lamp Pole & Bottom Board	Corner Column: 50-100-3mm Light Post: 50-100-3mm	1
4	Light	LED Lamp 200W	4pcs
5	PP Floor	100% Polypropylene 305mmx305mm 18.5mm	605qm
6	Overall Dimension	10242mmx6242mmx3500mm	
7	Site Size	10000mmx6000mm	

PROFESSIONAL NYLON TENNIS NET
AND DACROMET SCREW ACCESSORIES



Light Post Styles



①



②



③



④



⑤



⑥

看台系列---Stadium Seat

SCIENCE&TECHNOLOGY LEADING THE FIRST
CREATE THE FIRST-RATE PRODUCTS



重庆丰都中恒体育场




土家美 凤来不思归


荆楚风 民族情 中国梦

仙佛迎来凤 摆手舞土

● 湖北来凤体育馆



● 贵阳都匀三中



● 于都县体育中心




● 内蒙古赤峰第一职业高级中学


Shandong Century Star Sports Equipment Co., LTD., try to first-class quality, to ensure the stability and reliability of products. Rely on core technology to create brand products. No matter how the world changes, the millennium Star's dedication to excellence remains unchanged.



HDPE Blow Stadium Seat




SJ-A001 无背中空塑料椅
SJ-A001 No-Backrest Hollow Plastic Chair




SJ-A002 低靠背中空塑料椅
SJ-A002 Low-Backrest Hollow Plastic Chair


创新引领，创越经典
Creative leading, beyond classics




SJ-A003 悬挂式低靠背中空塑料椅
SJ-A003 Hanging Low-Backrest Hollow Plastic Chair




SJ-A004 直立式低靠背中空塑料椅
SJ-A004 Upright Low-Backrest Hollow Plastic Chair







SJ-A005 中靠背中空塑料椅
SJ-A005 Middle-Backrest Hollow Plastic Chair




SJ-A006 落地式中靠背中空塑料椅
SJ-A006 Floor-Standing Middle-Backrest Hollow Plastic Chair




SJ-A007 移动式中靠背中空塑料椅
SJ-A007 Mobile Middle-Backrest Hollow Plastic Chair
(Square Column Bracket)





SJ-A008 移动式中靠背中空塑料椅
SJ-A008 Mobile Middle-Backrest Hollow Plastic Chair
(Oval Column Bracket)




SJ-A009 悬挂式中靠背中空塑料椅
SJ-A009 Hanging Middle-Backrest Hollow Plastic Chair




SJ-A010 直立式中靠背中空塑料椅
SJ-A010 Upright Middle-Backrest Hollow Plastic Chair




SJ-A013 移动式高靠背中空塑料椅
 SJ-A013 Mobile High Backrest Hollow Plastic Chair




SJ-A014 落地式高靠背中空塑料椅
 SJ-A014 Floor-Standing High Backrest Hollow Plastic Chair




SJ-A015 悬挂式高靠背中空塑料椅
 SJ-A015 Hanging High Backrest Hollow Plastic Chair



SJ-A016 直立式高靠背中空塑料椅
 SJ-A016 Upright High Backrest Hollow Plastic Chair




SJ-A011 高靠背中空塑料椅
 SJ-A011 High Backrest Hollow Plastic Chair




SJ-A012 中空塑料椅
 SJ-A012 Hollow Plastic Chair

中空塑料翻板椅系列
Hollow Plastic Folding Chair Series



SJ-A017 悬挂式无扶手中空塑料翻板椅
SJ-A017 Hanging Armless Hollow Plastic Folding Chair



SJ-A018 落地式带扶手中空塑料翻板椅
SJ-A018 Floor-Standing Hollow Plastic Folding Chair With Armrests






SJ-A021 直立式翻板椅
SJ-A021 Upright Folding Chair



SJ-A022 侧装式翻板椅
SJ-A022 Side Mounted Folding Chair

中空塑料翻板椅系列
Hollow plastic flap chair Series




SJ-A019 落地式带扶手中空软包塑料翻板椅
SJ-A019 Floor-Standing Hollow Soft Plastic
Folding Chair With Armrests



SJ-A020 中空塑料翻板椅
SJ-A020 Hollow Plastic Folding Chair










SJ-A023 奥运星翻板椅
SJ-A023 Olympic Star Folding Chair












SJ-A040 海洋座椅
SJ-A040 Ocean Folding Chair



场馆座椅汇编

椅面 Chair seat	SJ-A001 无背中空塑料椅 SJ-A001 No-Backrest Hollow Plastic Chair	SJ-A002 低靠背中空塑料椅 SJ-A002 Low-Backrest Hollow Plastic Chair
		
支架 Support		
前置式座椅安装方式 Front mounted seat installation 	无背中空塑料椅 	低靠背中空塑料椅 
连接钢片，冲压而成，表面喷塑 Connected to the steel, stamping, spray the surface		
悬挂式座椅安装方式 Hanging seat installation 	悬挂中空塑料椅 	悬挂中空塑料椅 
连接管 φ33 悬挂支架为压铸铝合金表面喷塑 Connected pipe φ33 Hanging bracket for die-cast aluminum alloy surface spray		
直立式座椅安装方式 Straight seat installation 	直立中空塑料椅 	直立中空塑料椅 
连接管 φ33 立式支架为压铸铝合金表面喷塑 Connected pipe φ33 Vertical bracket for die-cast aluminum alloy surface spray		
移动式座椅安装方式1 Mobile seat installation 1 	移动式中空塑料椅 	移动式中空塑料椅 
连接矩形管60*40 立柱支架为椭圆钢管表面喷塑 含脚垫可调节 Connected rectangular tube 60*40 Column bracket for oval steel pipe surface spray Mat-containing adjustable		
移动式座椅安装方式2 Mobile seat installation 2 	直立式中空塑料椅 	直立式中空塑料椅 
连接矩形管60*40 立柱支架为矩形钢管表面喷塑 Connected rectangular tube 60*40 Column bracket for rectangular steel pipe surface spray		

场馆座椅汇编

SJ-A005 中靠背中空塑料椅 SJ-A005 High backrest hollow plastic chair	SJ-A011 高靠背中空塑料椅 SJ-A011 High backrest hollow plastic chair
	
中靠背中空塑料椅 	
悬挂中空塑料椅 	悬挂中空塑料椅 
直立中空塑料椅 	直立中空塑料椅 
移动式中空塑料椅 	移动式中空塑料椅 
直立式中空塑料椅 	移动式中空塑料椅 

中空吹塑座椅的安装 Blow Molding seat installation



连接钢片，冲压而成，表面喷塑
Connected to the steel, stamping, spray the surface



● 济钢高中

Telescopic Bleacher



SJ-A025 无靠背伸缩式看台

层宽: 700mm

层高: 310mm

座椅类型: 无背中空塑料椅

座椅间距: 480mm

驱动方式: 手动或电动

SJ-A025 No-Backrest Telescopic Bleachers


Layer width: 700mm

Layer Height: 310mm

Seat Type: Without backstays hollow plastic chair

Seat pitch: 480mm

Drive mode: manual or electric



SJ-A026 低靠背伸缩式看台

层宽: 700mm

层高: 310mm

座椅类型: 低背体育场专用椅

座椅间距: 480mm

驱动方式: 手动或电动

SJ-A026 Low-Backrest Telescopic Bleachers
(Front-Mounted Type)



Layer width: 700mm

Layer Height: 310mm

Seat Type: Low-Back Stadium Chair

Seat pitch: 480mm

Drive mode: manual or electric





● 济钢高中



SJ-A027 前置式翻板伸缩看台
层宽: 850mm
层高: 310mm
座椅类型: 无扶手中空塑料翻板椅
座椅间距: 500mm
驱动方式: 手动或电动
座椅翻转方式: 手动翻转

SJ-A027 Front-Mounted Flap Telescopic Bleachers
Layer width: 850mm
Layer Height: 310mm
Seat Type: Without backstays hollow plastic chair
Seat pitch: 500mm
Drive mode: manual or electric
Seats flip modes: manual flip





● 内蒙古海拉尔区第十二中学



● 新疆乌鲁木齐水西河体育馆



SJ-A028 后置式翻板伸缩看台
层宽: 850mm
层高: 310mm
座椅间距: 500mm
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转
SJ-A028 Rear-Mounted Flap Telescopic Bleachers
Layer width: 850mm
Layer Height: 310mm
Seat pitch: 500mm
Drive mode: manual or electric
Seats flip modes: Manual or auto flip






型号: SJ-A029
名称: 带扶手后置式伸缩看台
层宽: 850mm
层高: 310mm
座椅型号: 带扶手后置式塑料翻板椅
座椅间距: 500mm
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转

SJ-A029 Rear-Mounted Telescopic Bleachers
With Armrests
Layer width: 850mm
Layer Height: 310mm
Seat Type: With backrails hollow plastic flap chairs
Seat pitch: 500mm
Drive mode: manual or electric
Seats flip modes: Manual or auto flip



SJ-A030 中空长条凳伸缩看台
层宽: 700mm
层高: 280mm
座椅类型: 中空条凳
座椅间距: 460mm
驱动方式: 手动或电动
SJ-A030 Hollow Bench Telescopic Bleachers
Layer width: 700mm
Layer Height: 280mm
Seat Type: The hollow bench
Seat pitch: 460mm
Drive mode: manual or electric
Seats flip modes: manual or electric






SJ-A031 前置软包翻板椅
层宽: 900mm
层高: 310mm
座椅类型: 前置软包翻板椅
座椅间距: 500mm
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转

SJ-A031 Front upholstery folding chair
Layer width: 900mm
Layer Height: 310mm
Seat Type: Front upholstery copy chair
Seat pitch: 500mm
Drive mode: manual or electric
Seats flip modes: Manual or auto flip




● 濮阳油田第一小学




黑龙江黑河农场体育场

SJ-A032 拆装式看台
SJ-A032 Detachable Telescopic Grandstand




SJ-A033 后置式单层双排看台
层宽: 1700mm
层高: 330mm
座椅类型: 后置式塑料翻板椅
座椅间距: 500mm
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转

SJ-A033 Rear-Mounted Single-Layer Double-Row Grandstand
Layer width: 1700mm
Layer Height: 330mm
Seat Type: Postposition type plastic plate turning chair
Seat pitch: 500mm
Drive mode: manual or electric
Seats flip modes: Manual or auto flip




● 北京政法大学




SJ-A034 贵宾席看台
层宽: 900mm
层高: 310mm
座椅类型: 贵宾席软座
座椅间距: 540mm
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转


SJ-A034 VIP Bleachers
Layer width: 900mm
Layer Height: 310mm
Seat Type: VIP seats soft seat
Seat pitch: 540mm
Drive mode: manual or electric
Seats flip modes: Manual or auto flip



SJ-A035 后置式全自动翻板看台
层宽: 850mm
层高: 310mm
座椅中心距离: 500mm
座椅类型: 后置式塑料翻板椅
驱动方式: 手动或电动
座椅翻转方式: 手动或自动翻转


SJ-A035 Rear Mounted Fully Automatic Turning Board Stand
Layer width: 850mm
Layer Height: 310mm
Seat spacing: 500mm
Seat type: Postposition type plastic plate turning chair
Drive mode: manual or electric
Seat flip modes: Manual or auto flip





SJ-A036 后置带扶手软包椅看台
层宽：900mm
层高：310mm
座椅中心距离：500mm
座椅类型：后置带扶手软包椅
驱动方式：手动或电动
座椅翻转方式：手动或自动翻转

SJ-A036 Rear upholstered chair stand with armrest
 Layer width: 900mm
Layer Height: 310mm
 Seat spacing: 500mm
 Seat type: Rear upholstery chair with armrest
 Drive mode: manual or electric
 Seat flip modes: Manual or auto flip



SJ-A037 前置式带软垫塑料翻板椅看台
层宽：850mm
层高：310mm
座椅中心距离：500mm
座椅类型：前置式带软垫塑料翻板椅
驱动方式：手动或电动
座椅翻转方式：手动或自动翻转

SJ-A037 Front type plastic flap chair stand with cushion

Layer width: 850mm


Layer Height: 310mm


Seat spacing: 500mm

Seat type: Front type plastic flap chair with cushion

Drive mode: manual or electric

Seat flip modes: Manual or auto flip





● 通化市全民运动健身中心

SJ-A038 虹星前置式翻板伸缩看台
层宽: 850mm
层高: 310mm
座椅间距: 480mm
驱动方式: 手动或电动
座椅翻转方式: 自动翻转



Sj-a038 Hongxing front Folding Telescopic bleacher
Layer width: 850mm
Floor height: 310mm
Seat spacing: 480mm
Driving mode: manual or electric
Seat overturning mode: automatic overturning



Injection Molded Seats Series




SJ-A052

专利产品

座板靠背: 采用优质聚丙烯 (PP) 注塑加气体辅助成型工艺加工而成, 结构稳定, 座椅周边为双层结构座椅力学性能更高。优质的座椅添加剂 (包括抗静电剂、紫外线吸收剂、抗氧化剂、少量热稳定剂等特质配方)。
座椅支撑结构: 高强度尼龙加玻璃纤维增强, 100% 防锈蚀。
翻转机构: 双边隐藏式扭簧翻转机构, 防止夹手。座椅带有集成的回程阻尼机构, 翻转过程无噪音。

Seat back: Made of high-quality polypropylene (PP) injection molding and gas assisted molding, it has a stable structure and a double layer structure around the seat, with higher mechanical properties. High quality seat additives (including antistatic agents, UV absorbers, antioxidants, a small amount of heat stabilizers, and other special formulations).
Seat support structure: high-strength nylon and glass fiber reinforced, 100% rust resistant.
Reversing mechanism: Double hidden torsion spring reversing mechanism to prevent hand pinching. The seat is equipped with an integrated return damping mechanism, making the overturning process noiseless.



SJ-A050 Upright Stadium Seat



SJ-A051 Side Mounted Stadium Seat



Injection Molded Seats Series

Main Features



1. The seats are fully folded to optimize the row spacing



2. The seat cushion and backrest are closed at the same height to minimize the sun exposure time of the seat and ensure that there will be no large color difference changes on the back of the long-term sun exposure.



3. Standardized galvanized metal rectangular tube for seat connection fixed beam.







4. The seat is equipped with damping mechanism, which has soft slow start function and no noise.



Floor Hidden Multifunctional Seat Series

Product introduction:

The floor Recessed multi-functional seating system is specifically designed for multi-purpose halls and is a seating system stored under the floor. When the seats are hidden, the whole hall frees up space to allow various types of programs, such as celebratory dinners, exhibitions and other events; When the seat is opened, various activities such as reports, meetings, speeches can be carried out to achieve the effect of improving the utilization rate of the space. The control system of the seats is automated and the room can be arranged in minutes. The folding and unfolding movements of each row can be individually programmed to bring maximum versatility.







Telescopic Bleacher




SJ-A025 无靠背伸缩式看台
No-Backrest Telescopic Bleachers
Width: 700mm
Height: 310mm
Seat type: Hollow plastic chair without back
Seat pitch: 480mm
Drive mode: manual or electric




SJ-A026 低靠背伸缩式看台
Low-Backrest Telescopic Bleachers
(Front-Mounted Type)
Width: 700mm
Height: 310mm
Seat Type: Low-Back Stadium Chair
Seat Pitch: 480mm
Drive mode: manual or electric



SJ-A027 前置式翻板伸缩看台
Front-Mounted Flap Telescopic
Bleachers
Width: 850mm
Height: 310mm
Seat Type: Armless hollow plastic
chair
Seat Pitch: 500mm
Drive Mode: Manual or Electric
Seat Turning Mode: Manual Turning




SJ-A029 带扶手后置式伸缩看台
Rear-Mounted Telescopic
Bleachers With Armrests
Width: 850mm
Height: 310mm
Seat Type: Hollow Plastic Folding Chair
with Armrests
Seat Pitch: 500mm
Driver Mode: Manual or Electric
Seat Flip Test: Manual or Automatic Flip





Telescopic Bleacher




SJ-A030 中空长条凳伸缩看台
Hollow Bench Telescopic Bleachers
Width:700mm
Height:280mm
Seat Type:Long Hollow Stool Without Backrest
Seat Pitch:460mm
Drive Mode: Manual or Electric




SJ-A031 前置软包翻版椅
SJ-A031 Front upholstery copy chair
Width:900mm
Height:310mm
Seat Type: Flip-over chair with front soft bag
Seat Pitch:500mm
Drive Mode: Manual or Electric
Seat Flip Test: Manual or Automatic



SJ-A032 拆装式看台
SJ-A032 Detachable Telescopic Grandstand




SJ-A033 后置式单层双排看台
Rear-Mounted Single-Layer Double-Row Grandstand
Width:1700mm
Height:330mm
Seat Type:Rear-Mounted Plastic Chair
Seat Pitch:500mm
Drive Mode: Manual or Electric
Seat Flip Test:Manual or Automatic




Telescopic Bleacher




SJ-A034 贵宾席看台
VIP Bleachers
Width:900mm
Height:310mm
Seat Type:VIP Soft Seats
Seat Pitch:540mm
Drive Mode: Manual or Electric
Seat Flip Mode: Manual or Automatic




SJ-A035 后置式全自动翻板看台
Rear Mounted Fully Automatic Turning Board Stand
Width:850mm
Height:310mm
Seat Center Distance:500mm
Seat Type:Rear-Mounted Plastic Turning Board Chair
Drive Mode: Manual or Electric
Seat Flip Mode:Manual or Automatic



SJ-A036 后置带扶手软包椅
SJ-A036 Rear upholstery chair with armrest
Width:900mm
Height:310mm
Seat Center Distance:500mm
Seat Type:Rear-Back Upholstery Chair with Armrest
Drive Mode: Manual or Electric
Seat Flip Mode: Manual or Automatic




SJ-A037 前置式带软垫座椅
SJ-A037 Front seat with cushion
Width:850mm
Height:310mm
Seat Center Distance:500mm
Seat Type:Front Seat with Cushion
Driver Mode: Manual or Electric
Seat Flip Mode:Manual or Automatic





SJ-A070 Movable Assembled Stand



Basketball Sports Series

科技领先，创一流产品

SCIENCE & TECHNOLOGY LEADING THE FIRST
CREATE THE FIRST-RATE PRODUCTS



因专业而精彩 因精湛而出众

We are outstanding because of professional and excellence.



Electro-Hydraulic Basketball stand is the third generation product. It was developed according to international standard basketball game. Basketball stand has heavy and solid steel adjust system. On the other hand, it has safe and insurance system for player.

HJ-1000 豪华电动液压篮球架
HJ-1000 Electro-hydraulic Basketball Stand

HJ-1001 豪华电动液压篮球架 (计时, 二十四秒显示器另配)
HJ-1001 Electro-hydraulic Basketball Stand

HJ-1001 Luxury electric hydraulic basketball stands is based on the original HJ-1001 electric hydraulic basketball stand, made according to the international basketball competition rules of the latest products. This product is always follow the International Basketball Federation (FIBA) standard, the use of microcomputer control system, the use of new technology in hydraulic, electronic, can complete the basketball stand base lifting, walking wheel forward or backward, basketball rack positioning action, realize the contraction, upper bracket parts of the lift, vertical balance boards, function, the basket height adjustment other conditions. This product is popular in today's international rebounds on the high strength safety glass backboard, has the advantages of high transparency, strong weatherability, smooth and safe. The power adopts a single-phase power supply (220V, 50Hz), use more convenient, safe, economy.





HJ-1002 电动液压篮球架
HJ-1002 Electro-hydraulic Basketball Backstop



HJ-1003 电动推杆篮球架
HJ-1003 Electric Push Rod Basketball Rack



HJ-1005 仿液压篮球架
HJ-1005 Copying hydraulic Basketball Stand



HJ-1006 移动单臂篮球架
HJ-1006 Movable single arm basketball stand



HJ-1111 弹性篮球架
HJ-1111 Elastic Basketball Rack



HJ-1101 手动液压篮球架
HJ-1101 Hand-Hydraulic Basketball Stand



HJ-1007 全箱独臂篮球架
HJ-1007 Box Single Arm Basketball Stand



HJ-1008 移动式单臂篮球架
HJ-1008 Movable single arm basketball stand



HJ-1009 平箱式篮球架
HJ-1009 Flat-box Basketball Stand



HJ-1011 地埋圆管篮球架
HJ-1011 Buried Tube Single Arm Basketball Stand



HJ-1012 固定式单臂篮球架
HJ-1012 Fixed Single Arm Basketball Backstop



HJ-1013 海燕式固定双位篮球架
HJ-1013 Fixed double basketball stand



HJ-1051 地埋篮球架
HJ-1051 Underground basketball rack



HJ-1050 地埋篮球架
HJ-1050 Buried Basketball Stand



HJ-1049 辅助升降篮球架(小篮板)
HJ-1049 Auxiliary lifting basketball stand (small rebound)



HJ-1052 箱体升降篮球架
HJ-1052 box lifting basketball rack



Our Project

创新引领，创越经典
 Creative leading, beyond classics





HJ-1301 电动悬空篮球架
HJ-1301 Electric dangling backboard



HJ-1201D 悬臂电动篮球架
HJ-1201D Cantilever Electric Basketball Stand



HJ-1216 悬臂折叠篮球架
HJ-1216 Cantilever Folding Basketball Stand



HJ-1217 悬臂篮球架
HJ-1217 Cantilever Type Basketball Stand



Cage Multi-Functional Sports Facilities Series

科技领先，创一流产品

SCIENCE&TECHNOLOGY LEADING THE FIRST
CREATE THE FIRST-RATE PRODUCTS

因专业而精彩 因精湛而出众

High quality observes our splendor Footsteps confirm our dream
We are outstanding because of professional and excellence

Cage Style Multi-functional Sport Court

THE CAGE SOCCER



"Cage football" is a new, fashionable and dynamic way of playing. The competition venue uses a closed iron cage, there is no boundary, the field is small, the players are less, the senses are more stimulating, more like a street football, which truly shows the personal charm of technical football, which can be described as cool, handsome and dazzling. "Cage football" not only allows the participants to fully release their passion, but also allows the players to continue the happiness, which is also the real charm of "cage football", because it is "happy football".

Our company, in response to the call of the state to carry out sunshine sports and national physical sports, in order to promote the national football level as a task, the traditional football field has high requirements and fans are difficult to play football, because people need to develop and produce star cage football field of the century.

Standard composition: Century Star standard cage football field 32924mm18924mmx4037mm standard type contains the main frame and Seine [including sky net court column lights, turf can be provided according to customer needs and other compact courts.

A wide range of application places | easy to build and promote

Set teaching, training, entertainment, fitness, competition and other functions. The Star cage football stadium of the century occupies a small area, has high sports safety and has little impact on the surrounding environment, and is more suitable for promotion than the traditional football stadium. In particular, the characteristics of the compact court can be customized according to the needs of the site, so that the star cage football field of the century can be promoted and built in all public places.


Suitable construction scope: indoor, outdoor, garage, workshop, roof, terrace, community, school, park, etc.

Patented component design | easy to install

Site infrastructure requirements standard

- 1.The size of the base area of the field shall be extended by at least 3 meters outside the field size for the extension and installation of the peripheral frame.
- 2.The site foundation is smooth and compacted, and the stone slag potential layer. The cement concrete stabilization layer reaches 15-20 cm, and the strength is above C20.
- 3.The foundation of the frame Seine must be concreted to 20-25 cm to ensure that the ground of the main frame is fixed firmly.
- 4.Set retaining walls and rainwater drainage systems around the site.

* The above infrastructure construction is not included in the cage football field, but the infrastructure construction service can be provided according to the needs of the kiln owners.



Six Characteristics



1. The frame is made of high-quality steel, the main material and the Seine wire are galvanized on the surface, and then the electrostatic spraying process is used, which has good weather resistance, anti-aging and corrosion resistance; Robot welding, precision and high strength, beautiful and durable.

2. Purse Seine for the tie flower net, square grid, there are a number of wavy cold galvanized steel wire in the way of horizontal and vertical staggered, concave Mosaic lap, fastening firm, strong traction, the overall firm and durable.

3. The outside of the court is fixed through the lower connecting rod, and the connections between the components are made of stainless steel fasteners. A bar bench is set between the connecting rod as the audience seat, and the counterweight requirements of the guardrail are realized.



1. The frame is welded by robot

The frame is made of high-quality steel, the main material and the Seine wire are galvanized on the surface, and then the electrostatic spraying process is used, which has good weather resistance, anti-aging and corrosion resistance. Robot welding, precision and high strength, beautiful and durable.



4. Integral fixation technique

The outside of the court is fixed through the lower connecting rod, the connection between the components are made of stainless steel fasteners, and the bar bench is arranged between the connecting rod as the audience seat, and the counterweight requirements of the guardrail are realized.



5. Security protection

Protect Seine nets and sky nets to prevent football from being kicked out during matches or training, while avoiding injury and damage to building doors and Windows. The post is equipped with a flexible anti-collision guard to ensure the safety of the players during the movement.



2. The purse Seine is a patented embossed net

The frame is made of high-quality steel, the main material and the Seine wire are galvanized on the surface, and then the electrostatic spraying process is used, which has good weather resistance, anti-aging and corrosion resistance. Robot welding, precision and high strength, beautiful and durable.



3. Environmentally friendly and durable artificial turf

The artificial turf adopts grass tufted structure, the first layer is made of anti-ultraviolet anti-aging pp material, and the bottom of the second layer is coated with professional glue to ensure the strength and durability of the lawn, which has the characteristics of sun protection, wear resistance, low carbon environmental protection, slow oil and elasticity



6.

Can be selected on demand in addition to the standard cage football field, but also to meet different customer needs. 1. The course provides an equal reduction pitch. 2. The column lamp can choose the sun lamp or metal halide lamp. 3. The grass height, density and color of artificial turf can be selected. 4. The goal is retractable and mobile.

Project examples



• 呼和浩特机场



• 呼和浩特市玉泉区



Name	Specification
5-A-side goal	3*2*1.2m
7-A-side goal	5*2*2m
11-A-side goal	7.32*2.44*2.5m



HJ-4001 比赛专用ABS羽毛球柱(专利产品)
HJ-4001 Competition ABS Badminton pole



HJ-4002 简易配重式排球柱
HJ-4002 Simple Counterweight Volleyball Uprights



HJ-4003 移动式羽毛球柱
Moveable Badminton Pole



HJ-4004 移动式排球柱
HJ-4004 Moveable Volleyball Pillar



HJ-4005 ABS网球(专利产品)
HJ-4005 ABS Tennis Pillar



HJ-4023 室外乒乓球台 Outdoor table tennis table

Our company is the first manufacture of outdoor table tennis table surface using SMC, the whole one molding manufacturer. SMC has excellent stability, is not easy deformed, anti-corrosion, sun protection, anti-theft, crack, rain and fire prevention, high finish, bright color, excellent anti-ultraviolet ability and so on. The degree of anti-aging can reach more than 20 years, the use of Taiwan Limei color paste can reach more than 10 years without fading, streamlined design appearance is beautiful and solid, easy to move, matte design more brand style, table-top flexibility can be comparable to the domestic high-level table tennis table, products are widely used in schools, enterprises, institutions, troops and other indoor and outdoor places, high strength, smooth and clean, Well received by the majority of users.



HJ-4024 室外乒乓球台(SMC)
HJ-4024 Outdoor table tennis table(SMC)



HJ-4006 插地排球柱
HJ-4006 Inserting Ground Volleyball Pole



HJ-4007 比赛专用直插式网球柱
HJ-4007 Competition Inserting Tennis Pillar



HJ-4008 直插式排球柱
HJ-4008 Inserting volleyball Pillar



HJ-4009 直插式网球柱
HJ-4009 Inserting Tennis Pillar



HJ-4010 排球裁判椅
HJ-4010 Volleyball Referee's Chair



HJ-4011 网球裁判椅
HJ-4011 Tennis Referee's Chair



HJ-4012 羽毛球裁判椅
HJ-4012 Badminton Referee's Stand



HJ-4013 简易排球裁判椅
HJ-4013 Simply Volleyball Referee's Chair

Padel Court Market List



Stadium Seat Market List



Other Market List

